

# Bohemia Mountain & Fairview Peak Plant List as of 3/19/2008

compiled by  
Tanya Harvey

\*Non-native

T23S.R1E.S14

## FERNS & ALLIES

### Blechnaceae

- \_\_\_ *Blechnum spicant*  
deer fern

### Dennstaediaceae

- \_\_\_ *Pteridium aquilinum*  
bracken fern

### Dryopteridaceae

- \_\_\_ *Athyrium alpestre*  
alpine lady fern
- \_\_\_ *Athyrium filix-femina*  
lady fern
- \_\_\_ *Cystopteris fragilis*  
fragile fern
- \_\_\_ *Dryopteris expansa*  
mountain shield-fern
- \_\_\_ *Polystichum imbricans*  
imbricate sword fern
- \_\_\_ *Polystichum lonchitis*  
holly fern
- \_\_\_ *Polystichum munitum*  
sword fern

### Equisetaceae

- \_\_\_ *Equisetum telmateia*  
giant horsetail

### Polypodiaceae

- \_\_\_ *Polypodium glycyrrhiza*  
licorice fern
- \_\_\_ *Polypodium hesperium*  
western polypody

### Pteridiaceae

- \_\_\_ *Adiantum aleuticum*  
maidenhair fern
- \_\_\_ *Aspidotis densa*  
indians' dream
- \_\_\_ *Cheilanthes gracillima*  
lace fern
- \_\_\_ *Cryptogramma acrostichoides*  
parsley fern
- \_\_\_ *Pentagramma triangularis*  
gold-back fern

### Selaginellaceae

- \_\_\_ *Selaginella scopulorum*  
Rocky Mountain selaginella
- \_\_\_ *Selaginella wallacei*  
Wallace's selaginella

## Cupressaceae

- \_\_\_ *Callitropsis nootkatensis*  
Alaska yellowcedar
- \_\_\_ *Calocedrus decurrens*  
incense cedar
- \_\_\_ *Juniperus communis*  
common juniper

## Pinaceae

- \_\_\_ *Abies amabilis*  
Pacific silver fir
- \_\_\_ *Abies concolor x grandis*  
hybrid white/grand fir
- \_\_\_ *Abies grandis*  
grand fir
- \_\_\_ *Pinus contorta var. latifolia*  
lodgepole pine
- \_\_\_ *Pinus monticola*  
western white pine
- \_\_\_ *Pseudotsuga menziesii*  
Douglas-fir
- \_\_\_ *Tsuga heterophylla*  
western hemlock
- \_\_\_ *Tsuga mertensiana*  
mountain hemlock

## Taxaceae

- \_\_\_ *Taxus brevifolia*  
Pacific yew

## TREES & SHRUBS: DICOTS

### Aceraceae

- \_\_\_ *Acer circinatum*  
vine maple
- \_\_\_ *Acer glabrum var. douglasii*  
Douglas maple
- \_\_\_ *Acer macrophyllum*  
big-leaf maple

### Araliaceae

- \_\_\_ *Oplopanax horridus*  
devil's club

### Berberidaceae

- \_\_\_ *Berberis nervosa*  
Cascade Oregon grape

### Betulaceae

- \_\_\_ *Alnus rubra*  
red alder
- \_\_\_ *Alnus viridis ssp. sinuata*  
Sitka alder

## Caprifoliaceae

- \_\_\_ *Lonicera ciliosa*  
orange honeysuckle
- \_\_\_ *Lonicera conjugialis*  
purple-flowered honeysuckle
- \_\_\_ *Lonicera utahensis*  
Utah honeysuckle
- \_\_\_ *Sambucus mexicana*  
blue elderberry
- \_\_\_ *Sambucus racemosa*  
red elderberry
- \_\_\_ *Symphoricarpos albus*  
common snowberry
- \_\_\_ *Symphoricarpos mollis*  
creeping snowberry

## Celastraceae

- \_\_\_ *Paxistima myrsinites*  
Oregon boxwood

## Cornaceae

- \_\_\_ *Cornus nuttallii*  
Pacific dogwood

## Ericaceae

- \_\_\_ *Arbutus menziesii*  
madrone
- \_\_\_ *Arctostaphylos nevadensis*  
pinemat manzanita
- \_\_\_ *Gaultheria ovatifolia*  
slender wintergreen
- \_\_\_ *Gaultheria shallon*  
salal
- \_\_\_ *Phyllodoce empetriformis*  
pink mountain-heather
- \_\_\_ *Rhododendron macrophyllum*  
Pacific rhododendron
- \_\_\_ *Vaccinium membranaceum*  
thin-leaved huckleberry
- \_\_\_ *Vaccinium ovalifolium*  
oval-leaf huckleberry
- \_\_\_ *Vaccinium parvifolium*  
red huckleberry
- \_\_\_ *Vaccinium scoparium*  
grouseberry

## Fabaceae (Leguminosae)

- \_\_\_ \**Cytisus scoparius*  
Scotch broom

## Fagaceae

- \_\_\_ *Chrysolepis chrysophylla*  
chinquapin

## TREES & SHRUBS: CONIFERS

\_\_\_ *Quercus garryana*  
Oregon white oak

### Garryaceae

\_\_\_ *Garrya fremontii*  
Fremont's silk tassel

### Grossulariaceae

\_\_\_ *Ribes binominatum*  
trailing gooseberry

\_\_\_ *Ribes bracteosum*  
stink currant

\_\_\_ *Ribes lacustre*  
swamp gooseberry

\_\_\_ *Ribes lobbii*  
gummy gooseberry

\_\_\_ *Ribes sanguineum*  
red-flowering currant

\_\_\_ *Ribes viscosissimum*  
sticky currant

### Hydrangeaceae

\_\_\_ *Philadelphus lewisii*  
western mock orange

### Rhamnaceae

\_\_\_ *Ceanothus velutinus*  
snowbrush

\_\_\_ *Rhamnus purshiana*  
cascara

### Rosaceae

\_\_\_ *Amelanchier alnifolia*  
western serviceberry

\_\_\_ *Holodiscus discolor*  
oceanspray

\_\_\_ *Prunus emarginata*  
bitter cherry

\_\_\_ *Rosa gymnocarpa*  
bald-hip rose

\_\_\_ *Rubus lasiococcus*  
dwarf bramble

\_\_\_ *Rubus leucodermis*  
black raspberry

\_\_\_ *Rubus parviflorus*  
thimbleberry

\_\_\_ *Rubus pedatus*  
five-leaved dwarf bramble

\_\_\_ *Rubus spectabilis*  
salmonberry

\_\_\_ *Rubus ursinus*  
dewberry

\_\_\_ *Sorbus scopulina*  
western mountain ash

\_\_\_ *Sorbus sitchensis*  
Sitka mountain ash

### Salicaceae

\_\_\_ *Salix lucida ssp. lasiandra*  
Pacific willow

\_\_\_ *Salix scouleriana*  
Scouler willow

\_\_\_ *Salix sitchensis*  
Sitka willow

## HERBACEOUS DICOTS

### Apiaceae (Umbelliferae)

\_\_\_ *Heracleum lanatum*  
cow-parsnip

\_\_\_ *Ligusticum grayi*  
Gray's lovage

\_\_\_ *Lomatium dissectum*  
fern-leaved lomatium

\_\_\_ *Lomatium hallii*  
Hall's lomatium

\_\_\_ *Lomatium martindalei*  
few-fruited lomatium, Martindale's

\_\_\_ *Orogenia fusiformis*  
turkey-peas

\_\_\_ *Osmorhiza berteroi*  
mountain sweet-cicely

\_\_\_ *Osmorhiza occidentalis*  
western sweet-cicely

\_\_\_ *Sanicula graveolens*  
Sierra snake-root, sanicle

### Apocynaceae

\_\_\_ *Apocynum androsaemifolium*  
spreading dogbane

\_\_\_ *Apocynum xfloribundum*  
intermediate dogbane

### Araliaceae

\_\_\_ *Aralia californica*  
California spikenard, elk clover

### Aristolochiaceae

\_\_\_ *Asarum caudatum*  
wild ginger

\_\_\_ *Asarum marmoratum*  
marbled wild ginger

### Asteraceae (Compositae)

\_\_\_ *Achillea millefolium*  
yarrow

\_\_\_ *Adenocaulon bicolor*  
trail plant, pathfinder

\_\_\_ *Agoseris aurantiaca*  
orange agoseris

\_\_\_ *Agoseris grandiflora*  
large-flowered agoseris

\_\_\_ *Agoseris heterophylla*  
annual agoseris

\_\_\_ *Anaphalis margaritacea*  
pearly everlasting

\_\_\_ *Antennaria racemosa*  
raceme pussytoes

\_\_\_ *Antennaria rosea*  
rosy pussytoes

\_\_\_ *Arnica amplexicaulis*  
streambank arnica

\_\_\_ *Arnica cordifolia*  
heart-leaf arnica

\_\_\_ *Arnica diversifolia*  
sticky arnica

\_\_\_ *Arnica latifolia*  
mountain arnica

\_\_\_ *Arnica parryi*  
Parry's or nodding arnica

\_\_\_ *Artemisia ludoviciana*  
western wormwood

\_\_\_ *Aster ledophyllus*  
Cascade aster

\_\_\_ *Aster radulinus*  
rough-leaved aster

\_\_\_ *Cirsium remotifolium*  
mountain thistle

\_\_\_ *Columbiadorea hallii*  
Hall's goldenweed

\_\_\_ *Crepis occidentalis*  
western hawkbeard

\_\_\_ *Crepis pleurocarpa*  
naked-stem hawkbeard

\_\_\_ *Ericameria nauseosa var. speciosa*  
rabbit brush

\_\_\_ *Erigeron aliceeae*  
Eastwood's daisy, Alice's fleabane

\_\_\_ *Erigeron cascadiensis*  
Cascade fleabane

\_\_\_ *Erigeron foliosus var. confinis*  
leafy fleabane

\_\_\_ *Eriophyllum lanatum*  
Oregon sunshine, woolly sunflower

\_\_\_ *Hieracium albiflorum*  
white-flowered hawkweed

\_\_\_ *Hieracium gracile*  
alpine hawkweed

\_\_\_ *Hieracium scouleri*  
woolly-weed, Scouler's hawkweed

\_\_\_ *\*Leucanthemum vulgare*  
oxeye daisy

\_\_\_ *Luina hypoleuca*  
silverback luina

- \_\_\_ *Madia exigua*  
little tarweed
- \_\_\_ *Madia gracilis*  
slender tarweed
- \_\_\_ *Microseris nutans*  
nodding microseris
- \_\_\_ *Nothocalais alpestris*  
false agoseris
- \_\_\_ *Packera bolanderi*  
Harford's or Bolander's groundsel
- \_\_\_ *Petasites frigidus* var. *palmatus*  
coltsfoot
- \_\_\_ *Rainera stricta*  
tongue-leaf luina
- \_\_\_ *Rudbeckia occidentalis*  
western coneflower
- \_\_\_ *Senecio integerrimus*  
western groundsel
- \_\_\_ *Senecio triangularis*  
arrowleaf groundsel
- \_\_\_ *Solidago canadensis*  
meadow goldenrod
- \_\_\_ \**Taraxacum officinale*  
common dandelion

#### **Berberidaceae**

- \_\_\_ *Achlys triphylla*  
vanilla leaf
- \_\_\_ *Vancouveria hexandra*  
inside-out flower

#### **Boraginaceae**

- \_\_\_ *Cryptantha intermedia*  
common cryptantha
- \_\_\_ *Hackelia micrantha*  
blue stickseed
- \_\_\_ *Mertensia paniculata*  
tall bluebells/tall lungwort

#### **Brassicaceae (Cruciferae)**

- \_\_\_ *Arabis drummondii*  
Drummond's rockcress
- \_\_\_ *Arabis glabra*  
tower mustard
- \_\_\_ *Arabis hirsuta*  
hairy rockcress
- \_\_\_ *Arabis holboellii*  
Holboell's rockcress
- \_\_\_ *Arabis platysperma*  
flatseed rockcress
- \_\_\_ *Barbarea orthoceras*  
American winter cress
- \_\_\_ \**Barbarea vulgaris*  
bitter winter cress

- \_\_\_ *Cardamine californica* var.  
California toothwort
- \_\_\_ *Cardamine nuttallii* var. *nuttallii*  
slender toothwort
- \_\_\_ *Erysimum capitatum* var. *capitatum*  
wallflower
- \_\_\_ *Noccaea montana*  
Fendler's pennycress, alpine candytuft
- \_\_\_ *Phoenicaulis cheiranthoides*  
dagger-pod
- \_\_\_ *Rorippa curvisiliqua*  
western yellowcress

#### **Campanulaceae**

- \_\_\_ *Campanula prenanthoides*  
California harebell
- \_\_\_ *Campanula scouleri*  
Scouler's harebell

#### **Caprifoliaceae**

- \_\_\_ *Linnaea borealis*  
twinflower

#### **Caryophyllaceae**

- \_\_\_ *Arenaria pumicola*  
pumice sandwort, Crater lake sandwort
- \_\_\_ *Cerastium arvense*  
field chickweed
- \_\_\_ *Minuartia rubella*  
boreal sandwort
- \_\_\_ *Moehringia macrophylla*  
bigleaf sandwort
- \_\_\_ *Silene campanulata* ssp. *glandulosa*  
nodding catchfly
- \_\_\_ *Silene douglasii*  
Douglas' catchfly or campion
- \_\_\_ \**Spergularia rubra*  
red sand-spurry
- \_\_\_ *Stellaria crispa*  
crisped starwort

#### **Convolvulaceae**

- \_\_\_ *Calystegia atriplicifolia* ssp.  
night-blooming morning glory

#### **Cornaceae**

- \_\_\_ *Cornus unalaschensis*  
bunchberry

#### **Crassulaceae**

- \_\_\_ *Sedum divergens*  
spreading stonecrop
- \_\_\_ *Sedum oregonense*  
creamy stonecrop
- \_\_\_ *Sedum spathulifolium*  
broadleaf stonecrop

- \_\_\_ *Sedum stenopetalum*  
wormleaf stonecrop

#### **Cucurbitaceae**

- \_\_\_ *Marah oreganus*  
coast manroot, bigroot, wild cucumber

#### **Ericaceae**

- \_\_\_ *Chimaphila menziesii*  
little prince's-pine/pipsissewa
- \_\_\_ *Chimaphila umbellata*  
prince's pine/pipsissewa
- \_\_\_ *Monotropa hypopithys*  
pinesap
- \_\_\_ *Orthilia secunda*  
one-sided wintergreen, sidebells
- \_\_\_ *Pyrola asarifolia*  
pink, bog, alpine pyrola
- \_\_\_ *Pyrola picta*  
white-veined wintergreen, pyrola

#### **Fabaceae (Leguminosae)**

- \_\_\_ *Lathyrus nevadensis*  
Sierra pea
- \_\_\_ *Lotus crassifolius*  
big deervetch
- \_\_\_ *Lotus nevadensis*  
Nevada deervetch
- \_\_\_ *Lupinus albicaulis*  
sickle-keeled lupine
- \_\_\_ *Lupinus albigifrons*  
silver or white-leaved lupine
- \_\_\_ *Lupinus arbustus*  
spurred lupine
- \_\_\_ *Lupinus lepidus* var. *lobbii*  
alpine or dwarf lupine
- \_\_\_ *Trifolium howellii*  
Howell's clover
- \_\_\_ *Trifolium productum*  
elongated clover, king's clover
- \_\_\_ \**Trifolium repens*  
white clover
- \_\_\_ *Vicia americana*  
American vetch

#### **Fumariaceae**

- \_\_\_ *Dicentra formosa*  
western bleeding heart
- \_\_\_ *Dicentra uniflora*  
steer's head

#### **Gentianaceae**

- \_\_\_ *Gentiana calycosa*  
explorer's gentian

## Geraniaceae

- \_\_\_ *Erodium cicutarium*  
filaree

## Hydrangeaceae

- \_\_\_ *Whipplea modesta*  
Whipplevine, Yerba de Selva

## Hydrophyllaceae

- \_\_\_ *Hydrophyllum fendleri*  
Fendler's waterleaf
- \_\_\_ *Hydrophyllum occidentale*  
western waterleaf
- \_\_\_ *Hydrophyllum tenuipes*  
Pacific waterleaf
- \_\_\_ *Nemophila parviflora*  
small-flowered nemophila
- \_\_\_ *Phacelia heterophylla*  
varileaf phacelia
- \_\_\_ *Phacelia mutabilis*  
changeable phacelia
- \_\_\_ *Phacelia nemoralis*  
woodland phacelia
- \_\_\_ *Romanzoffia californica*  
California mistmaiden
- \_\_\_ *Romanzoffia sitchensis*  
Sitka mistmaiden
- \_\_\_ *Romanzoffia thompsonii*  
annual mistmaiden

## Hypericaceae

- \_\_\_ *Hypericum anagalloides*  
bog St. John's wort
- \_\_\_ *\*Hypericum perforatum*  
Klamath weed, St. John's wort

## Lamiaceae (Labiatae)

- \_\_\_ *Agastache urticifolia*  
nettle-leaf horse mint
- \_\_\_ *Lycopus uniflorus*  
northern bugleweed
- \_\_\_ *Monardella odoratissima*  
coyote mint
- \_\_\_ *Prunella vulgaris*  
self-heal
- \_\_\_ *Satureja douglasii*  
yerba buena
- \_\_\_ *Stachys rigida*  
rigid hedge nettle

## Linaceae

- \_\_\_ *Linum lewisii* var. *lewisii*  
western blue flax

## Onagraceae

- \_\_\_ *Chamerion angustifolium*  
fireweed

- \_\_\_ *Circaea alpina*  
enchanter's nightshade

- \_\_\_ *Clarkia amoena*  
farewell-to-spring

- \_\_\_ *Epilobium brachycarpum*  
tall annual willowherb

- \_\_\_ *Epilobium ciliatum* ssp. *watsonii*  
Watson's willowherb

- \_\_\_ *Epilobium clavatum*  
club-fruited willowherb, Talus

- \_\_\_ *Epilobium hornemannii*  
Hornemann's willowherb

- \_\_\_ *Epilobium lactiflorum*  
white-flowered willowherb

- \_\_\_ *Epilobium minutum*  
small-flowered willowherb

- \_\_\_ *Gayophytum heterozygum*  
zigzag Groundsmoke

- \_\_\_ *Gayophytum humile*  
dwarf groundsmoke

## Orobanchaceae

- \_\_\_ *Orobanche fasciculata*  
clustered broomrape

- \_\_\_ *Orobanche uniflora*  
naked broomrape

## Oxalidaceae

- \_\_\_ *Oxalis oregana*  
Oregon wood sorrel
- \_\_\_ *Oxalis suksdorfii*  
Western yellow wood sorrel

## Plantaginaceae

- \_\_\_ *\*Plantago lanceolata*  
English plantain
- \_\_\_ *\*Plantago major*  
common plantain

## Polemoniaceae

- \_\_\_ *Collomia grandiflora*  
large-flowered collomia
- \_\_\_ *Collomia heterophylla*  
varied-leaf collomia
- \_\_\_ *Collomia tinctoria*  
yellow-staining collomia
- \_\_\_ *Gilia capitata*  
bluefield gilia
- \_\_\_ *Ipomopsis aggregata*  
skyrocket, scarlet gilia
- \_\_\_ *Linanthus harknessii*  
Harkness' linanthus
- \_\_\_ *Linanthus nuttallii*  
Nuttall's linanthus

- \_\_\_ *Navarretia divaricata*  
mountain navarretia

- \_\_\_ *Phlox adsurgens*  
woodland phlox

- \_\_\_ *Phlox diffusa*  
spreading phlox

- \_\_\_ *Phlox gracilis*  
annual phlox

- \_\_\_ *Polemonium carneum*  
great polemonium

## Polygonaceae

- \_\_\_ *Bistorta bistortoides*  
American bistort
- \_\_\_ *Eriogonum compositum*  
heart-leaved buckwheat
- \_\_\_ *Eriogonum nudum*  
bare-stemmed buckwheat
- \_\_\_ *Eriogonum umbellatum*  
sulphur buckwheat
- \_\_\_ *Polygonum cascadenense*  
Cascade knotweed

- \_\_\_ *Polygonum douglasii*  
Douglas' knotweed

- \_\_\_ *Polygonum minimum*  
least knotweed

- \_\_\_ *Polygonum newberryi*  
Newberry's knotweed

- \_\_\_ *Polygonum phytolaccifolium*  
alpine knotweed

- \_\_\_ *\*Rumex acetosella*  
sheep-sorrel

- \_\_\_ *\*Rumex crispus*  
curly dock

- \_\_\_ *\*Rumex obtusifolius*  
bitter dock

- \_\_\_ *Rumex occidentalis*  
western dock

## Portulacaceae

- \_\_\_ *Claytonia lanceolata*  
western springbeauty

- \_\_\_ *Claytonia parviflora*  
small-flowered miner's lettuce

- \_\_\_ *Claytonia perfoliata*  
miner's lettuce

- \_\_\_ *Claytonia sibirica*  
candyflower

- \_\_\_ *Montia parvifolia*  
littleleaf montia

## Primulaceae

- \_\_\_ *Trientalis latifolia*  
western starflower

## Ranunculaceae

- \_\_\_ *Aconitum columbianum*  
Columbian monkshood
- \_\_\_ *Actaea rubra*  
western red baneberry
- \_\_\_ *Anemone deltoidea*  
western white anemone, Columbia
- \_\_\_ *Anemone lyallii*  
western wood anemone, Lyall's anemone
- \_\_\_ *Aquilegia formosa*  
western columbine
- \_\_\_ *Caltha leptosepala*  
white marsh marigold
- \_\_\_ *Coptis laciniata*  
Oregon goldthread
- \_\_\_ *Delphinium menziesii*  
Menzies' larkspur
- \_\_\_ *Ranunculus orthorhynchus* var.  
straightbeak buttercup
- \_\_\_ *Ranunculus uncinatus*  
woods buttercup
- \_\_\_ *Thalictrum occidentale*  
western meadowrue
- \_\_\_ *Trautvetteria caroliniensis*  
false bugbane

## Rosaceae

- \_\_\_ *Aruncus dioicus*  
goatsbeard
- \_\_\_ *Fragaria vesca*  
woods strawberry
- \_\_\_ *Geum macrophyllum*  
large-leaved avens
- \_\_\_ *Luetkea pectinata*  
partridge foot
- \_\_\_ *Potentilla drummondii*  
Drummond's cinquefoil
- \_\_\_ *Potentilla glandulosa*  
sticky cinquefoil
- \_\_\_ *Potentilla gracilis*  
slender cinquefoil
- \_\_\_ *Sanguisorba officinalis*  
garden burnet

## Rubiaceae

- \_\_\_ *Galium aparine*  
common bedstraw, cleavers
- \_\_\_ *Galium bifolium*  
thinleaf bedstraw
- \_\_\_ *Galium oreganum*  
Oregon bedstraw
- \_\_\_ *Galium triflorum*  
fragrant bedstraw

- \_\_\_ *\*Sherardia arvensis*  
blue field-madder

## Santalaceae

- \_\_\_ *Comandra umbellata* var. *californica*  
bastard toad-flax

## Saxifragaceae

- \_\_\_ *Boykinia major*  
mountain or large boykinia
- \_\_\_ *Boykinia occidentalis*  
slender boykinia
- \_\_\_ *Heuchera glabra*  
smooth alumroot
- \_\_\_ *Heuchera micrantha*  
small-flowered alumroot
- \_\_\_ *Lithophragma glabrum*  
smooth prairie-star
- \_\_\_ *Lithophragma parviflorum*  
small-flowered prairie-star
- \_\_\_ *Mitella breweri*  
Brewer's mitrewort
- \_\_\_ *Mitella diversifolia*  
angle-leaved, varied-leaved mitrewort
- \_\_\_ *Mitella ovalis*  
oval-leaf mitrewort
- \_\_\_ *Mitella trifida*  
three-toothed mitrewort
- \_\_\_ *Saxifraga bronchialis* ssp. *vespertina*  
spotted, matted saxifrage
- \_\_\_ *Saxifraga ferruginea*  
rusty saxifrage
- \_\_\_ *Saxifraga mertensiana*  
wood saxifrage
- \_\_\_ *Saxifraga nuttallii*  
Nuttall's saxifrage
- \_\_\_ *Saxifraga rufidula*  
western saxifrage
- \_\_\_ *Tellima grandiflora*  
fringecup
- \_\_\_ *Tiarella trifoliata* var. *unifoliata*  
foamflower
- \_\_\_ *Tolmiea menziesii*  
youth-on-age, piggyback plant

## Scrophulariaceae

- \_\_\_ *Castilleja hispida*  
harsh paintbrush
- \_\_\_ *Castilleja miniata*  
scarlet paintbrush
- \_\_\_ *Castilleja parviflora*  
rosy paintbrush
- \_\_\_ *Castilleja pruinosa*  
frosted paintbrush

- \_\_\_ *Collinsia grandiflora*  
large-flowered blue-eyed Mary

- \_\_\_ *Collinsia parviflora*  
small-flowered blue-eyed Mary

- \_\_\_ *\*Digitalis purpurea*  
foxglove

- \_\_\_ *Mimulus breweri*  
Brewer's monkeyflower

- \_\_\_ *Mimulus guttatus*  
seep monkeyflower

- \_\_\_ *Mimulus lewisii*  
pink monkeyflower

- \_\_\_ *Mimulus moschatus*  
musk monkeyflower

- \_\_\_ *Nothochelone nemorosa*  
woodland beard-tongue

- \_\_\_ *Orthocarpus imbricatus*  
pink owl-clover

- \_\_\_ *Pedicularis bracteosa* var. *flavida*  
wood betony

- \_\_\_ *Pedicularis contorta*  
curved-beak lousewort

- \_\_\_ *Pedicularis racemosa*  
parrotbeak

- \_\_\_ *Penstemon cardwellii*  
Cardwell's penstemon

- \_\_\_ *Penstemon procerus* var.  
small-flowered penstemon

- \_\_\_ *Penstemon rupicola*  
cliff penstemon

- \_\_\_ *Penstemon serrulatus*  
Cascade penstemon

- \_\_\_ *Synthyris reniformis*  
snow queen

- \_\_\_ *Veronica americana*  
American brooklime

- \_\_\_ *Veronica serpyllifolia* var. *humifusa*  
thyme-leaved speedwell

## Valerianaceae

- \_\_\_ *Plectritis congesta*  
rosy plectritis

- \_\_\_ *Valeriana scouleri*  
Scouler's valerian

- \_\_\_ *Valeriana sitchensis*  
Sitka valerian

## Violaceae

- \_\_\_ *Viola adunca*  
early blue violet, long-spurred

- \_\_\_ *Viola bakeri*  
yellow prairie violet

- \_\_\_ *Viola glabella*  
stream violet
- \_\_\_ *Viola macloskeyi*  
small white violet
- \_\_\_ *Viola orbiculata*  
round-leaved violet
- \_\_\_ *Viola sempervirens*  
evergreen violet
- \_\_\_ *Viola sheltonii*  
Shelton's violet

- \_\_\_ *Xerophyllum tenax*  
beargrass

### Orchidaceae

- \_\_\_ *Calypso bulbosa*  
fairy slipper, Calypso orchid
- \_\_\_ *Corallorhiza maculata*  
spotted coralroot
- \_\_\_ *Corallorhiza mertensiana*  
western coralroot
- \_\_\_ *Corallorhiza striata*  
striped coralroot
- \_\_\_ *Goodyera oblongifolia*  
western rattlesnake plantain
- \_\_\_ *Listera caurina*  
western twayblade
- \_\_\_ *Listera convallarioides*  
broad-lip twayblade
- \_\_\_ *Piperia unalascensis*  
Alaska rein orchid
- \_\_\_ *Platanthera stricta*  
slender bog orchid

### MONOCOTS

#### Iridaceae

- \_\_\_ *Iris chrysophylla*  
slender-tubed iris

#### Liliaceae

- \_\_\_ *Allium amplexans*  
slim-leaf onion
- \_\_\_ *Allium crenulatum*  
Olympic onion
- \_\_\_ *Anticlea occidentalis*  
bronze bells, western stenanthium
- \_\_\_ *Calochortus subalpinus*  
mountain cat's ear
- \_\_\_ *Clintonia uniflora*  
queen's cup, bead lily
- \_\_\_ *Dichelostemma congestum*  
ookow
- \_\_\_ *Erythronium grandiflorum*  
glacier lily
- \_\_\_ *Erythronium klamathense*  
Klamath fawn lily
- \_\_\_ *Erythronium oregonum*  
giant fawn lily, Oregon fawn lily
- \_\_\_ *Lilium washingtonianum*  
Cascade lily, Washington lily
- \_\_\_ *Maianthemum racemosum*  
false Solomon's Seal
- \_\_\_ *Maianthemum stellatum*  
starry false Solomon's seal
- \_\_\_ *Prosartes hookeri*  
Hooker's fairy bells
- \_\_\_ *Streptopus amplexifolius*  
clasping twisted-stalk
- \_\_\_ *Trillium ovatum*  
western trillium
- \_\_\_ *Veratrum californicum*  
California false hellebore
- \_\_\_ *Veratrum insolitum*  
Siskiyou false hellebore
- \_\_\_ *Veratrum viride*  
green false hellebore