

T21S.R2E.S7

## FERNS & ALLIES

### Blechnaceae

- \_\_\_ *Blechnum spicant*  
deer fern

### Dennstaediaceae

- \_\_\_ *Pteridium aquilinum*  
bracken fern

### Dryopteridaceae

- \_\_\_ *Athyrium filix-femina*  
lady fern
- \_\_\_ *Cystopteris fragilis*  
fragile fern
- \_\_\_ *Dryopteris expansa*  
mountain shield-fern
- \_\_\_ *Polystichum imbricans*  
imbricate sword fern
- \_\_\_ *Polystichum munitum*  
sword fern

### Equisetaceae

- \_\_\_ *Equisetum arvense*  
common horsetail

### Lycopodiaceae

- \_\_\_ *Lycopodium clavatum*  
ground-pine

### Polypodiaceae

- \_\_\_ *Polypodium glycyrrhiza*  
licorice fern
- \_\_\_ *Polypodium hesperium*  
western polypody

### Pteridiaceae

- \_\_\_ *Aspidotis densa*  
indians' dream
- \_\_\_ *Cheilanthes gracillima*  
lace fern
- \_\_\_ *Cryptogramma acrostichoides*  
parsley fern
- \_\_\_ *Pentagramma triangularis*  
gold-back fern

### Selaginellaceae

- \_\_\_ *Selaginella scopulorum*  
Rocky Mountain selaginella
- \_\_\_ *Selaginella wallacei*  
Wallace's selaginella

## TREES & SHRUBS: CONIFERS

### Cupressaceae

- \_\_\_ *Calocedrus decurrens*  
incense cedar

- \_\_\_ *Thuja plicata*  
western redcedar

### Pinaceae

- \_\_\_ *Abies amabilis*  
Pacific silver fir
- \_\_\_ *Abies concolor x grandis*  
hybrid white/grand fir
- \_\_\_ *Abies grandis*  
grand fir
- \_\_\_ *Abies procera*  
noble fir
- \_\_\_ *Pseudotsuga menziesii*  
Douglas-fir
- \_\_\_ *Tsuga heterophylla*  
western hemlock

### Taxaceae

- \_\_\_ *Taxus brevifolia*  
Pacific yew

## TREES & SHRUBS: DICOTS

### Aceraceae

- \_\_\_ *Acer circinatum*  
vine maple
- \_\_\_ *Acer glabrum var. douglasii*  
Douglas maple
- \_\_\_ *Acer macrophyllum*  
big-leaf maple

### Berberidaceae

- \_\_\_ *Berberis aquifolium*  
shining Oregon grape
- \_\_\_ *Berberis nervosa*  
Cascade Oregon grape

### Betulaceae

- \_\_\_ *Alnus incana*  
mountain alder
- \_\_\_ *Alnus rhombifolia*  
white alder

### Caprifoliaceae

- \_\_\_ *Lonicera ciliosa*  
orange honeysuckle
- \_\_\_ *Sambucus mexicana*  
blue elderberry
- \_\_\_ *Sambucus racemosa*  
red elderberry
- \_\_\_ *Symphoricarpos albus*  
common snowberry
- \_\_\_ *Symphoricarpos mollis*  
creeping snowberry

### Cornaceae

- \_\_\_ *Cornus nuttallii*  
Pacific dogwood
- \_\_\_ *Cornus sericea*  
creek, western or red osier dogwood

### Ericaceae

- \_\_\_ *Arctostaphylos nevadensis*  
pinemat manzanita
- \_\_\_ *Kalmia microphylla*  
alpine laurel
- \_\_\_ *Rhododendron macrophyllum*  
Pacific rhododendron
- \_\_\_ *Vaccinium membranaceum*  
thin-leaved huckleberry
- \_\_\_ *Vaccinium ovalifolium*  
oval-leaf huckleberry
- \_\_\_ *Vaccinium parvifolium*  
red huckleberry

### Fabaceae (Leguminosae)

- \_\_\_ \**Cytisus scoparius*  
Scotch broom

### Fagaceae

- \_\_\_ *Chrysolepis chrysophylla*  
chinquapin
- \_\_\_ *Quercus garryana*  
Oregon white oak

### Grossulariaceae

- \_\_\_ *Ribes bracteosum*  
stink currant
- \_\_\_ *Ribes lacustre*  
swamp gooseberry
- \_\_\_ *Ribes sanguineum*  
red-flowering currant

### Rhamnaceae

- \_\_\_ *Ceanothus velutinus*  
snowbrush
- \_\_\_ *Rhamnus purshiana*  
cascara

### Rosaceae

- \_\_\_ *Amelanchier alnifolia*  
western serviceberry
- \_\_\_ *Crataegus suksdorfii*  
Douglas' hawthorn
- \_\_\_ *Holodiscus discolor*  
oceanspray
- \_\_\_ *Oemleria cerasiformis*  
indian plum

- \_\_\_ *Prunus emarginata*  
bitter cherry
- \_\_\_ *Rosa gymnocarpa*  
bald-hip rose
- \_\_\_ *Rosa pisocarpa*  
clustered wild rose
- \_\_\_ *Rubus lasiococcus*  
dwarf bramble
- \_\_\_ *Rubus leucodermis*  
black raspberry
- \_\_\_ *Rubus nivalis*  
snow bramble
- \_\_\_ *Rubus parviflorus*  
thimbleberry
- \_\_\_ *Rubus spectabilis*  
salmonberry
- \_\_\_ *Rubus ursinus*  
dewberry
- \_\_\_ *Sorbus scopulina*  
western mountain ash
- \_\_\_ *Spiraea douglasii*  
Douglas' spiraea

### Salicaceae

- \_\_\_ *Populus trichocarpa*  
black cottonwood
- \_\_\_ *Salix geyeriana*  
Geyer's willow
- \_\_\_ *Salix hookeriana*  
Piper's willow
- \_\_\_ *Salix lucida ssp. lasiandra*  
Pacific willow
- \_\_\_ *Salix scouleriana*  
Scouler willow
- \_\_\_ *Salix sitchensis*  
Sitka willow

## HERBACEOUS DICOTS

### Apiaceae (Umbelliferae)

- \_\_\_ *Angelica genuflexa*  
kneeling angelica
- \_\_\_ *Cicuta douglasii*  
western water hemlock
- \_\_\_ *Heracleum lanatum*  
cow-parsnip
- \_\_\_ *Ligusticum apiifolium*  
celery-leaved lovage
- \_\_\_ *Lomatium hallii*  
Hall's lomatium
- \_\_\_ *Lomatium nudicaule*  
bare-stem lomatium
- \_\_\_ *Osmorhiza berteroi*  
mountain sweet-cicely

- \_\_\_ *Perideridia gairdneri*  
Gairdner's yampah
- \_\_\_ *Perideridia oregana*  
Oregon yampah
- \_\_\_ *Sanicula graveolens*  
Sierra snake-root, sanicle

### Araliaceae

- \_\_\_ *Aralia californica*  
California spikenard, elk clover

### Aristolochiaceae

- \_\_\_ *Asarum caudatum*  
wild ginger

### Asteraceae (Compositae)

- \_\_\_ *Achillea millefolium*  
yarrow
- \_\_\_ *Adenocaulon bicolor*  
trail plant, pathfinder
- \_\_\_ *Agoseris aurantiaca*  
orange agoseris
- \_\_\_ *Agoseris heterophylla*  
annual agoseris
- \_\_\_ *Anaphalis margaritacea*  
pearly everlasting
- \_\_\_ *Antennaria racemosa*  
raceme pussytoes
- \_\_\_ *Arnica latifolia*  
mountain arnica
- \_\_\_ *Aster foliaceus*  
leafy aster
- \_\_\_ *Aster modestus*  
few-flowered aster, great northern
- \_\_\_ *Aster occidentalis*  
western aster
- \_\_\_ *Aster radulinus*  
rough-leaved aster
- \_\_\_ *\*Cirsium arvense*  
Canada thistle
- \_\_\_ *Cirsium remotifolium*  
mountain thistle
- \_\_\_ *Columbiadorea hallii*  
Hall's goldenweed
- \_\_\_ *Erigeron aliciae*  
Eastwood's daisy, Alice's fleabane
- \_\_\_ *Eriophyllum lanatum*  
Oregon sunshine, woolly sunflower
- \_\_\_ *Hemizonella minima*  
least tarweed
- \_\_\_ *Hieracium albiflorum*  
white-flowered hawkweed
- \_\_\_ *\*Hypochaeris radicata*  
spotted cat's-ear

- \_\_\_ *\*Leucanthemum vulgare*  
oxeye daisy

- \_\_\_ *Madia gracilis*  
slender tarweed

- \_\_\_ *Microseris nutans*  
nodding microseris

- \_\_\_ *Petasites frigidus var. palmatus*  
coltsfoot

- \_\_\_ *Rudbeckia occidentalis*  
western coneflower

- \_\_\_ *Senecio integerrimus*  
western groundsel

- \_\_\_ *\*Senecio jacobaea*  
tansy ragwort

- \_\_\_ *Senecio triangularis*  
arrowleaf groundsel

- \_\_\_ *Solidago canadensis*  
meadow goldenrod

- \_\_\_ *\*Taraxacum officinale*  
common dandelion

### Berberidaceae

- \_\_\_ *Achlys triphylla*  
vanilla leaf
- \_\_\_ *Vancouveria hexandra*  
inside-out flower

### Boraginaceae

- \_\_\_ *Cryptantha intermedia*  
common cryptantha
- \_\_\_ *Mertensia paniculata*  
tall bluebells/tall lungwort

### Brassicaceae (Cruciferae)

- \_\_\_ *Barbarea orthoceras*  
American winter cress
- \_\_\_ *Cardamine angulata*  
Angle-leaved bittercress
- \_\_\_ *Cardamine californica var.*  
California toothwort
- \_\_\_ *Cardamine nuttallii var. nuttallii*  
slender toothwort
- \_\_\_ *Cardamine pensylvanica*  
Pennsylvania bittercress
- \_\_\_ *Erysimum capitatum var. capitatum*  
wallflower

### Campanulaceae

- \_\_\_ *Campanula scouleri*  
Scouler's harebell
- \_\_\_ *Heterocodon rariflorum*  
heterocodon

### Caprifoliaceae

- \_\_\_ *Linnaea borealis*  
twinflower

## Caryophyllaceae

- \_\_\_ *Moehringia macrophylla*  
bigleaf sandwort
- \_\_\_ *Silene douglasii*  
Douglas' catchfly or campion
- \_\_\_ *Stellaria calycantha*  
northern starwort
- \_\_\_ *Stellaria crispa*  
crisped starwort

## Convolvulaceae

- \_\_\_ *Calystegia atriplicifolia* ssp.  
night-blooming morning glory

## Cornaceae

- \_\_\_ *Cornus unalaschkensis*  
bunchberry

## Crassulaceae

- \_\_\_ *Sedum spathulifolium*  
broadleaf stonecrop
- \_\_\_ *Sedum stenopetalum*  
wormleaf stonecrop

## Ericaceae

- \_\_\_ *Chimaphila menziesii*  
little prince's-pine/pipsissewa
- \_\_\_ *Chimaphila umbellata*  
prince's pine/pipsissewa
- \_\_\_ *Monotropa hypopithys*  
pinesap
- \_\_\_ *Monotropa uniflora*  
indian pipe
- \_\_\_ *Orthilia secunda*  
one-sided wintergreen, sidebells
- \_\_\_ *Pleuricospora fimbriolata*  
fringed pinesap
- \_\_\_ *Pyrola asarifolia*  
pink, bog, alpine pyrola
- \_\_\_ *Pyrola picta*  
white-veined wintergreen, pyrola

## Fabaceae (Leguminosae)

- \_\_\_ *Lathyrus nevadensis*  
Sierra pea
- \_\_\_ *Lathyrus polyphyllus*  
leafy pea
- \_\_\_ *Lotus micranthus*  
small-flowered deervetch
- \_\_\_ *Lotus oblongifolius*  
streambank birdfoot trefoil
- \_\_\_ *Lupinus latifolius*  
broadleaf lupine
- \_\_\_ *Trifolium howellii*  
Howell's clover

- \_\_\_ *Trifolium microcephalum*  
small-head clover

- \_\_\_ *Trifolium* sp.  
clover

- \_\_\_ *Trifolium variegatum*  
white tip clover

- \_\_\_ *Trifolium wormskjoldii*  
cow clover

- \_\_\_ *Vicia americana*  
American vetch

## Fumariaceae

- \_\_\_ *Dicentra formosa*  
western bleeding heart

## Hydrophyllaceae

- \_\_\_ *Hydrophyllum fendleri*  
Fendler's waterleaf
- \_\_\_ *Hydrophyllum occidentale*  
western waterleaf
- \_\_\_ *Hydrophyllum tenuipes*  
Pacific waterleaf
- \_\_\_ *Nemophila parviflora*  
small-flowered nemophila
- \_\_\_ *Phacelia hastata*  
silverleaf phacelia
- \_\_\_ *Romanzoffia thompsonii*  
annual mistmaiden

## Hypericaceae

- \_\_\_ *Hypericum anagalloides*  
bog St. John's wort
- \_\_\_ \**Hypericum perforatum*  
Klamath weed, St. John's wort

## Lamiaceae (Labiatae)

- \_\_\_ *Prunella vulgaris*  
self-heal
- \_\_\_ *Stachys cooleyae*  
Cooley's hedge nettle
- \_\_\_ *Stachys rigida*  
rigid hedge nettle
- \_\_\_ *Trichostema oblongum*  
mountain blue curls

## Malvaceae

- \_\_\_ *Sidalcea cusickii*  
Cusick's checkermallow

## Onagraceae

- \_\_\_ *Chamerion angustifolium*  
fireweed
- \_\_\_ *Circaea alpina*  
enchanter's nightshade
- \_\_\_ *Epilobium ciliatum* ssp. *watsonii*  
Watson's willowherb

## Orobanchaceae

- \_\_\_ *Orobanche uniflora*  
naked broomrape

## Oxalidaceae

- \_\_\_ *Oxalis oregana*  
Oregon wood sorrel

## Polemoniaceae

- \_\_\_ *Collomia heterophylla*  
varied-leaf collomia
- \_\_\_ *Gilia capitata*  
bluefield gilia
- \_\_\_ *Phlox adsurgens*  
woodland phlox
- \_\_\_ *Phlox diffusa*  
spreading phlox
- \_\_\_ *Phlox gracilis*  
annual phlox
- \_\_\_ *Polemonium carneum*  
great polemonium

## Polygonaceae

- \_\_\_ *Bistorta bistortoides*  
American bistort
- \_\_\_ *Eriogonum compositum*  
heart-leaved buckwheat
- \_\_\_ *Eriogonum nudum*  
bare-stemmed buckwheat
- \_\_\_ *Polygonum cascadenense*  
Cascade knotweed
- \_\_\_ *Polygonum douglasii*  
Douglas' knotweed
- \_\_\_ *Polygonum minimum*  
least knotweed
- \_\_\_ \**Rumex acetosella*  
sheep-sorrel

## Portulacaceae

- \_\_\_ *Claytonia rubra* ssp. *rubra*  
redstem miner's Lettuce
- \_\_\_ *Claytonia sibirica*  
candyflower
- \_\_\_ *Montia chamissoi*  
Chamisso's montia or water montia
- \_\_\_ *Montia parvifolia*  
littleleaf montia

## Ranunculaceae

- \_\_\_ *Aconitum columbianum*  
Columbian monkshood
- \_\_\_ *Actaea rubra*  
western red baneberry
- \_\_\_ *Anemone deltoidea*  
western white anemone, Columbia

\_\_\_ *Anemone lyallii*  
western wood anemone, Lyall's anemone

\_\_\_ *Anemone oregana*  
Oregon anemone

\_\_\_ *Aquilegia formosa*  
western columbine

\_\_\_ *Coptis laciniata*  
Oregon goldthread

\_\_\_ *Delphinium menziesii*  
Menzies' larkspur

\_\_\_ *Ranunculus populago*  
mountain buttercup

\_\_\_ *Ranunculus uncinatus*  
woods buttercup

\_\_\_ *Trautvetteria caroliniensis*  
false bugbane

### Rosaceae

\_\_\_ *Fragaria vesca*  
woods strawberry

\_\_\_ *Geum macrophyllum*  
large-leaved avens

\_\_\_ *Potentilla glandulosa*  
sticky cinquefoil

### Rubiaceae

\_\_\_ *Galium aparine*  
common bedstraw, cleavers

\_\_\_ *Galium oreganum*  
Oregon bedstraw

\_\_\_ *Galium triflorum*  
fragrant bedstraw

### Saxifragaceae

\_\_\_ *Boykinia major*  
mountain or large boykinia

\_\_\_ *Heuchera micrantha*  
small-flowered alumroot

\_\_\_ *Lithophragma parviflorum*  
small-flowered prairie-star

\_\_\_ *Mitella caulescens*  
leafy mitrewort

\_\_\_ *Mitella ovalis*  
oval-leaf mitrewort

\_\_\_ *Mitella pentandra*  
five-point, alpine mitrewort

\_\_\_ *Mitella trifida*  
three-toothed mitrewort

\_\_\_ *Saxifraga integrifolia*  
grassland, northern saxifrage

\_\_\_ *Saxifraga mertensiana*  
wood saxifrage

\_\_\_ *Saxifraga rufidula*  
western saxifrage

\_\_\_ *Tellima grandiflora*  
fringecup

\_\_\_ *Tiarella trifoliata* var. *laciniata*  
foamflower

\_\_\_ *Tiarella trifoliata* var. *trifoliata*  
foamflower

\_\_\_ *Tiarella trifoliata* var. *unifoliata*  
foamflower

### Scrophulariaceae

\_\_\_ *Castilleja miniata*  
scarlet paintbrush

\_\_\_ *Castilleja pruinosa*  
frosted paintbrush

\_\_\_ *Collinsia parviflora*  
small-flowered blue-eyed Mary

\_\_\_ \**Digitalis purpurea*  
foxglove

\_\_\_ *Mimulus guttatus*  
seep monkeyflower

\_\_\_ *Nothochelone nemorosa*  
woodland beard-tongue

\_\_\_ *Pedicularis racemosa*  
parrotbeak

\_\_\_ *Penstemon cardwellii*  
Cardwell's penstemon

\_\_\_ *Penstemon deustus*  
hot-rock penstemon

\_\_\_ *Penstemon rattanii*  
Rattan's penstemon

\_\_\_ *Synthyris reniformis*  
snow queen

\_\_\_ *Veronica americana*  
American brooklime

\_\_\_ \**Veronica officinalis*  
common speedwell

\_\_\_ *Veronica serpyllifolia* var. *humifusa*  
thyme-leaved speedwell

### Urticaceae

\_\_\_ *Urtica dioica*  
stinging nettle

### Valerianaceae

\_\_\_ *Plectritis congesta*  
rosy plectritis

\_\_\_ *Valeriana sitchensis*  
Sitka valerian

### Violaceae

\_\_\_ *Viola glabella*  
stream violet

\_\_\_ *Viola macloskeyi*  
small white violet

\_\_\_ *Viola orbiculata*  
round-leaved violet

\_\_\_ *Viola sempervirens*  
evergreen violet

\_\_\_ *Viola sheltonii*  
Shelton's violet

## MONOCOTS

### Araceae

\_\_\_ *Lysichiton americanus*  
skunk cabbage

### Iridaceae

\_\_\_ *Iris chrysophylla*  
slender-tubed iris

\_\_\_ *Sisyrinchium idahohense* var.  
Idaho blue-eyed grass

### Liliaceae

\_\_\_ *Allium amplexans*  
slim-leaf onion

\_\_\_ *Allium crenulatum*  
Olympic onion

\_\_\_ *Brodiaea elegans*  
elegant cluster-lily

\_\_\_ *Calochortus subalpinus*  
mountain cat's ear

\_\_\_ *Calochortus tolmiei*  
Tolmie's Cat's ear

\_\_\_ *Camassia leichtlinii*  
great camas

\_\_\_ *Camassia quamash*  
common camas

\_\_\_ *Clintonia uniflora*  
queen's cup, bead lily

\_\_\_ *Erythronium grandiflorum*  
glacier lily

\_\_\_ *Lilium columbianum*  
western tiger lily

\_\_\_ *Maianthemum racemosum*  
false Solomon's seal

\_\_\_ *Maianthemum stellatum*  
starry false Solomon's seal

\_\_\_ *Prosartes hookeri*  
Hooker's fairy bells

\_\_\_ *Streptopus amplexifolius*  
clasping twisted-stalk

\_\_\_ *Streptopus lanceolatus* var. *curvipes*  
rosy twisted-stalk

\_\_\_ *Trillium ovatum*  
western trillium

\_\_\_ *Triteleia hyacinthina*  
hyacinth cluster-lily

\_\_\_ *Veratrum californicum*  
California false hellebore

\_\_\_ *Xerophyllum tenax*  
beargrass

### Orchidaceae

\_\_\_ *Calypso bulbosa*  
fairy slipper, Calypso orchid

\_\_\_ *Cephalanthera austiniiae*  
phantom orchid

\_\_\_ *Corallorhiza maculata*  
spotted coralroot

\_\_\_ *Corallorhiza mertensiana*  
western coralroot

\_\_\_ *Goodyera oblongifolia*  
western rattlesnake plantain

\_\_\_ *Listera caurina*  
western twayblade

\_\_\_ *Listera convallarioides*  
broad-lip twayblade

\_\_\_ *Piperia unalascensis*  
Alaska rein orchid

\_\_\_ *Platanthera dilatata*  
white bog orchid/bog candle

\_\_\_ *Platanthera sparsiflora*  
canyon bog orchid, sparse-flowered bog

\_\_\_ *Platanthera stricta*  
slender bog orchid

\_\_\_ *Spiranthes romanzoffiana*  
hooded ladies tresses

\_\_\_ *Deschampsia cespitosa*  
tufted hairgrass

\_\_\_ *Elymus glaucus*  
blue wildrye

\_\_\_ *Pleuropogon refractus*  
noddling semaphoregrass

## GRAMINOIDS

### Cyperaceae

\_\_\_ *Carex echinata* ssp. *echinata*  
thick-headed sedge

\_\_\_ *Carex luzulina*  
woodrush sedge

\_\_\_ *Carex mertensii*  
Merten's sedge

\_\_\_ *Scirpus microcarpus*  
small-fruited bulrush

### Juncaceae

\_\_\_ *Juncus ensifolius* var. *ensifolius*  
dagger-leaved rush

\_\_\_ *Luzula parviflora*  
small-flowered woodrush

\_\_\_ *Luzula* sp.  
woodrush

### Poaceae

\_\_\_ *Agrostis scabra*  
rough bentgrass

\_\_\_ *Bromus carinatus*  
California brome