

**Emerald Chapter, NPSO, Rare and Endangered Vascular Plant List
Lane Co., Oregon – April 2009**

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Abronia latifolia</i> Eschsch. yellow sandverbena	European beachgrass competition; ORV activity			4	B	CZ
<i>Abronia umbellata</i> Lam. ssp. <i>breviflora</i> (Standl.) Munz pink sandverbena	Sensitive habitat; last reported in the 1970s	SOC	LE	1	A	CZ
<i>Ageratina occidentalis</i> (Hook.) R.M. King & H. Rob. western eupatorium; western boneset	Rare in Lane Co.				C	WC
<i>Agrostis densiflora</i> Vasey coastal bluff bentgrass; California bentgrass	Known from one historic site in Lane Co.				C	CZ
<i>Agrostis howellii</i> Scribn. Howell's bentgrass	Expected to occur in Lane Co., but no county record	SOC	C	1	C	WV, WC
<i>Amelanchier alnifolia</i> (Nutt.) Nutt. ex M. Roem. var. <i>alnifolia</i> Saskatoon serviceberry	More frequent east of Cascades; two historic collections in Lane Co. barely over the Cascade crest; need to relocate				C	WC
<i>Apocynum cannabinum</i> L. hemp dogbane	Infrequently seen in Lane Co.; in protected and unprotected sites near agriculture				B	WV
<i>Apocynum sibiricum</i> Jacq. var. <i>salignum</i> (Greene) Fernald clasping leaved dogbane	Road and RR maintenance				B	WV
<i>Aristida oligantha</i> Michx. prairie threeawn; few flowered aristida	Sensitive habitat; park and wetland management; exotic invasives encroachment				B	WV
<i>Arnica nevadensis</i> A. Gray Sierra arnica	Rare; no known threats				C	WC, HC
<i>Artemisia tridentata</i> Nutt. ssp. <i>vaseyana</i> (Rydb.) Beetle mountain big sagebrush	Last seen 40 years ago from one Lane Co. location; need to relocate				C	WC
<i>Asarum marmoratum</i> Piper marbled wild ginger	Known from only one historic record				C	WC
<i>Asarum wagneri</i> K.L. Lu & Mesler green flowered wild ginger	Three Lane Co. sites; forest management		C	4	A	WC
<i>Asclepias cordifolia</i> (Benth.) Jeps. purple milkweed	Forest succession; shade encroachment				B	WC
<i>Asclepias fascicularis</i> Duchesne narrowleaf milkweed	Loss of habitat; land use				B	WV
<i>Asplenium trichomanes</i> L. ssp. <i>trichomanes</i> maidenhair spleenwort	Rare in Lane Co.				C	CR, WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Astragalus purshii</i> Douglas ex Hook. var. <i>lagopinus</i> (Rydb.) Barneby Pursh's milkvetch	Known from only one historic record				C	WC
<i>Astragalus umbraticus</i> E. Sheld. woodland milkvetch	Populations have declined because of fire suppression; result is woody plant encroachment and shade			4	C	WC
<i>Athyrium alpestre</i> (Hoppe) Clairv. var. <i>americanum</i> Butters American alpine lady fern	Rare high elevation species				C	HC
<i>Atriplex dioica</i> Raf. thick leaf orach	Known from one historic collection in Lane Co.				C	CZ
<i>Atriplex gmelinii</i> C.A. Mey. ex Bong. var. <i>gmelinii</i> obtuse leaf saltbush	Only two historic collections in Oregon; one in Lane Co.; need to relocate			2	A	CZ
<i>Azolla mexicana</i> C. Presl. mosquito fern	Expected to occur in Lane Co., but no documentation. Need an electron microscope for positive ID				C	WV
<i>Balsamorhiza deltoidea</i> Nutt. deltoid balsamroot	Uncommon; woody encroachment of meadows and invasion by exotics				C	CR, WV, WC
<i>Blepharipappus scaber</i> Hook. rough eyelash; blepharipappus	Known from one historic record in Lane Co.				C	WV
<i>Boechea howellii</i> (S. Watson) Windham & Al- Shehbaz (= <i>Arabis platysperma</i> A. Gray var. <i>howellii</i> (S. Watson) Jeps. in part) Howell's flatseed rockcress	Rare high elevation species in Lane Co.; no threats				C	WC, HC
<i>Botrychium minganense</i> Vict. gray moonwort	Expected to occur in Lane Co., but no county record			4	C	WC
<i>Botrychium simplex</i> E. Hitchc. little grapefern	Woody species encroachment				C	WC, HC
<i>Boykinia intermedia</i> (Piper) G.N. Jones (= <i>Boykinia major</i> A. Gray var. <i>intermedia</i> Piper) pyramidal boykinia	Two sites in Lane Co.; need to find more sites				C	CR
<i>Bromus pacificus</i> Shear Pacific brome	Few sites in Lane Co.; need more information				C	CZ, WV
<i>Cacaliopsis nardosmia</i> (A. Gray) A. Gray ssp. <i>glabrata</i> (Piper) Piper silvercrown luina	Expected to occur in Lane Co. ; known from counties north and south.				C	WV
<i>Callitriche hermaphroditica</i> L. northern water starwort	Recently found in coastal lakes			3	C	CZ
<i>Calycadenia truncata</i> DC. rosin weed; tackweed	Disjunct populations; ORV disturbance; invasives competition				B	WV
<i>Calystegia soldanella</i> (L.) R. Br. seashore morning glory	European beach grass invasion; human use area				B	CZ
<i>Calochortus uniflorus</i> Hook. & Arn. large flowered startulip	Loss of habitat; wetland management				B	WV
<i>Campanula rotundifolia</i> L. Scots harebell	Two sites in Lane Co, helicopter landing; trail maintenance				B	WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Carex angustata</i> Boott Wide fruited sedge	Few sites in Lane Co.; need more information				C	WC
<i>Carex aperta</i> Boott Columbia sedge	Few sites in Lane Co.; need more information				C	WC, HC
<i>Carex athrostachya</i> Olney slenderbeak sedge	More information needed to determine status				C	WC
<i>Carex aurea</i> Nutt. golden fruited sedge	More information needed to determine status				C	CR, WV
<i>Carex brainerdii</i> Mack. Brainerd's sedge	One site in Lane Co.				C	WC
<i>Carex brevicaulis</i> Mack. short stemmed sedge	Expected to occur in Lane Co., but no county record			2	C	CZ
<i>Carex buxbaumii</i> Wahlenb. Buxbaum's sedge	Uncommon; sensitive habitat subject to woody plant invasion in wet meadows				C	WC
<i>Carex californica</i> L.H. Bailey California sedge	Very rare in Lane Co.; woody encroachment				C	CR
<i>Carex canescens</i> L. hoary sedge	More information needed to determine status				C	WC
<i>Carex concinnoides</i> Mack. northwestern sedge	Northern end of range				C	WC
<i>Carex deflexa</i> Hornem. var. <i>boottii</i> L.H. Bailey (= <i>Carex brevipes</i> W. Boott) mountain sedge	Known only from historic records; to be expected at higher elevations as a look-alike of <i>C. rossii</i>				C	HC
<i>Carex diandra</i> Schrank lesser panicled sedge	Very rare; only two populations in Lane Co.; wilderness meadows			2	A	WC
<i>Carex disperma</i> Dewey soft leaved sedge	Rare in Lane Co.; scattered in Cascades and NE Oregon Mountains				C	WC
<i>Carex echinata</i> Murray ssp. <i>phyllomanica</i> (W. Boott.) Reznicek prickly sedge	Habitat loss; wetland management				B	CZ
<i>Carex gynodynamis</i> Olney Olney's hairy sedge; wonderwoman sedge	Roadside vegetation management and forest management with high impacts to soil			2	A	WC
<i>Carex illota</i> L.H. Bailey small headed sedge	Uncommon in montane wet meadows				C	WC, HC
<i>Carex infirmivervia</i> Naczi (= <i>Carex bolanderi</i> Olney ssp. <i>infirmivervia</i> Naczi) weak-veined sedge	Three sites in Lane Co.; need more sites			3	C	WC
<i>Carex integra</i> Mack. smooth beaked sedge	Need more information about trampling disturbance and woody species encroachment				C	WC, HC
<i>Carex interior</i> L.H. Bailey inland sedge	Known from one historic site in Lane Co.				C	WC
<i>Carex lenticularis</i> Michx. var. <i>limnophila</i> (Holm) Cronquist lakeshore sedge	Urban development; woody plant encroachment of coastal wetlands				B	CZ

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Carex leporinella</i> Mack. Sierra hare sedge	More information needed to determine status				C	WC, HC
<i>Carex leptalea</i> Wahlenb. bristle stalked sedge	Easy to overlook; woody encroachment into wetlands				C	CZ, WC
<i>Carex livida</i> (Wahlenb.) Willd. pale sedge	One site in Lane Co. in wilderness meadow; monitor for woody succession and changes in hydrology			2	A	WC
<i>Carex macrocephala</i> Willd. ex Spreng. large headed sedge	Sensitive habitat; known only from historic records			2	A	CZ
<i>Carex mendocinensis</i> Olney Mendocino sedge	Conifer encroachment and roadside vegetation management				B	WC
<i>Carex multicaulis</i> L.H. Bailey many stemmed sedge	Rare; two sites in Lane Co.; easily overlooked; north end of range				C	WC
<i>Carex multicosata</i> Mack. many ribbed sedge	More information needed to determine status				C	WC
<i>Carex nebrascensis</i> Dewey Nebraska sedge	Rare in Lane Co.; seen more frequently east of Cascades; susceptible to woody plant succession				C	WC
<i>Carex pansa</i> L.H. Bailey sand dune sedge	Park management; coastal erosion				B	CZ
<i>Carex phaeocephala</i> Piper mountain hare sedge	More information needed to determine status				C	WC, HC
<i>Carex praticola</i> Rydb. meadow sedge	Woody species encroachment				C	WC
<i>Carex preslii</i> Steud. Presl's sedge	Uncommon high elevation species; no threats				C	WC, HC
<i>Carex raynoldsii</i> Dewey Raynold's sedge	Widly scattered and rare, but easy to ID; monitor for woody succession				C	WC
<i>Carex retrorsa</i> Schwein. retrorse sedge	Road maintenance; wetland management; reed canary grass invasion			2	A	WV
<i>Carex scirpoidea</i> Michx. ssp. <i>stenochlaena</i> (T. Holm) A. Löve & D. Löve Alaska single spiked sedge	Roadside management; two sites in Lane Co.			2	A	WC
<i>Carex simulata</i> Mack. shortbeaked sedge	Rare in Lane Co.; seen more frequently east of Cascades				C	HC
<i>Carex stramineiformis</i> L.H. Bailey Mt. Shasta sedge	Rare in Lane Co.; high elevation species; no threats				C	HC
<i>Carex subfusca</i> W. Boott rusty sedge	More information needed to determine status				C	WC
<i>Carex vesicaria</i> L. inflated sedge	Rare in Lane Co.; high elevation more frequently seen east of Cascades				C	HC
<i>Carex viridula</i> Michx. var. <i>viridula</i> green sedge	Rare in Lane Co.; threatened by urban development and woody plant succession				B	CZ

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Castilleja rupicola</i> Piper cliff paintbrush	Recent exploration has revealed more sites to the south than previously known	SOC		4	A	WC, HC
<i>Ceanothus prostratus</i> Benth. Mahala mat	Rare in Lane Co.; known from two sites				C	WC
<i>Ceratophyllum echinatum</i> A. Gray hornwort	Known from one historic site in Oregon			2-ex	A	CZ
<i>Cicendia quadrangularis</i> (Lam.) Griseb. timwort	Sensitive habitat			2	A	WV, WC
<i>Cimicifuga elata</i> Nutt. tall bugbane	Logging practices; agency management		C	1	A	CR, WV, WC
<i>Clarkia purpurea</i> (Curtis) A. Nelson & J.F. Macbr. ssp. <i>viminea</i> (Douglas ex Hook.) F.H. Lewis & M.R. Lewis large godetia	Willamette Valley conservation target plant; encroachment by woody and invasive species, grazing on private sites				B	WV
<i>Claytonia washingtoniana</i> (Suksd.) Suksd. Washington miner's lettuce	Expected to occur in Lane Co., but no county record				C	CZ, CR
<i>Collomia larsenii</i> (A. Gray) Payson talus collomia	Rare high elevaton species; no threats			4	C	HC
<i>Collomia linearis</i> Nutt. narrowleaf collomia	Few sites in Lane Co. Need more locations				C	WC
<i>Collomia tinctoria</i> Kellogg yellow staining collomia	Few sites in Lane Co. Need more locations				C	WC, HC
<i>Conioselinum pacificum</i> (S. Watson) J.M. Coult. & Rose Pacific hemlock parsley	Few sites in Lane Co.				C	CZ
<i>Corallorhiza striata</i> Lindl. var. <i>vreelandii</i> (Rydb.) L.O. Williams Vreeland's coralroot	Known from one historic record in Lane Co.; searched for but not relocated				C	WC
<i>Corallorhiza trifida</i> Châtel. northern coralroot	One historic record in Lane Co.; recently found in Linn Co.				C	HC
<i>Cordylanthus ramosus</i> Nutt. ex Benth bushy birdbeak	Two adjacent sites in Lane Co.; seen more frequently east of the Cascades				C	WC
<i>Cordylanthus tenuis</i> A. Gray ssp. <i>viscidus</i> (Howell) T.I. Chuang & Heckard sticky bird's beak	Only two sites in Lane Co.; need more sites				C	WC
<i>Corydalis aqua-gelidae</i> M. Peck & W.C. Wilson cold water corydalis	Forest management; one site in Lane Co.	SOC	C	1	A	WC
<i>Crepis pleurocarpa</i> A. Gray naked stemmed hawksbeard	Few sites in Lane Co.; need to find more				C	WC
<i>Cyperus bipartitus</i> Torr. shining flatsedge	Reservoir management; recreational activity			3	B	WV
<i>Cypripedium montanum</i> Douglas ex Lindl. mountain lady's slipper	Loss of habitat; genetic isolation; overshadowing by conifers			4	B	WV, WC
<i>Darlingtonia californica</i> Torr. California pitcher plant; cobra lily	Loss of habitat; commercial exploitation; park management			4	B	CZ

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Darmera peltata</i> (Torr. ex Benth.) Voss umbrella plant	Expected to occur in Lane Co., but no county record; records from north and south of Lane Co.				C	CR
<i>Delphinium glaucum</i> S. Watson mountain larkspur	Expected to occur in Lane Co., but no county record				C	WC
<i>Delphinium oregonum</i> Howell Willamette Valley larkspur	Agency management; taxonomic study needed on Lane Co. populations	SOC	C	1	A	WV
<i>Delphinium pavonaceum</i> Ewan peacock larkspur	Known from only one historic record	SOC	LE	1	A	WV
<i>Dichelostemma capitatum</i> (Benth.) A.W. Wood ssp. <i>capitatum</i> blue dicks	Known only from historic records; more information needed				C	WV, WC
<i>Dodecatheon pulchellum</i> (Raf.) Merr. var. <i>macrocarpum</i> (A. Gray) Roy Taylor & MacBryde beautiful shooting star	Habitat loss; West Eugene wetland management; recent reports from Western Cascade sites need verification				B	WV
<i>Draba aureola</i> S. Watson golden draba	Rare high elevation species; no known threats			4	C	HC
<i>Drosera anglica</i> Huds. English sundew	Few sites in Lane Co.; currently no threats				C	WC
<i>Elmera racemosa</i> (S. Watson) Rydb. var. <i>racemosa</i> elmera	Rare high elevation species; no known threats			4	C	HC
<i>Eleocharis suksdorfiana</i> Beauv. (= <i>Eleocharis quinqueflora</i> (Hartmann) Sw. var. <i>suksdorfiana</i> (Beauv.) Howell) Suksdorf's spikerush	Known from only one site in Lane Co.; need more sites				C	WC
<i>Elodea nuttallii</i> (Planch.) H. St. John Nuttall's waterweed	Known only from historic records			3	C	WV
<i>Empetrum nigrum</i> L. black crowberry	Sensitive habitat				B	CZ
<i>Enemion stipitatum</i> (A. Gray) J.R. Drumm. & Hutch. dwarf rue-anemone; dwarf isopyrum	Park management; weedy species competition			4	B	WV
<i>Epilobium clavatum</i> Trel. club fruited willowherb	Rare; no known threats				C	WC, HC
<i>Epilobium lactiflorum</i> Hausskn. white flowered willowherb	Rare; no known threats; if found needs taxonomic determination				C	WC, HC
<i>Epilobium luteum</i> Pursh yellow willowherb	Few sites in Lane Co; forest management; roadside maintenance			4	C	WC
<i>Epilobium palustre</i> L. swamp willowherb	Expected to occur in Lane Co.; look for it				C	CZ, WC
<i>Epilobium torreyi</i> (S. Watson) Hoch & P.H. Raven Torrey's willowherb	Habitat loss; Willamette Valley conservation target plant				C	WV
<i>Equisetum fluviatile</i> L. water horsetail	Water weed competition				B	CZ, WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Eremocarpus setigerus</i> (Hook.) Benth. turkey mullein	Habitat loss; encroachment by exotic invasives; Willamette Valley conservation target plant				C	WV
<i>Ericameria bloomeri</i> (A. Gray) J.F. Macbr. rabbitbrush goldenweed	An eastside species, but comes over the crest into Lane Co.				C	WC, HC
<i>Ericameria greenei</i> (A. Gray) G.L. Nesom Greene's goldenweed	Infrequent; need more sites and documentation				C	WC, HC
<i>Ericameria nauseosa</i> (Pall. ex Pursh) G.L. Nesom & G.I. Baird var. <i>speciosa</i> (Nutt.) G.L. Nesom & G.I. Baird rabbitbrush	Need more information about security of sites				C	WC
<i>Erigeron compositus</i> Pursh var. <i>compositus</i> cutleaf daisy	Known from Linn Co. ½ mi. north of Lane Co., but no current record in Lane Co.; look for it				C	WC
<i>Erigeron compositus</i> Pursh var. <i>glabratus</i> <i>Macoun</i> cutleaf daisy	Secure at high elevations; threatened by forest management decisions at lower elevations				B	WC, HC
<i>Erigeron decumbens</i> Nutt. Willamette Valley daisy	Loss of habitat, urban development	LE	LE	1	A	WV
<i>Erigeron speciosus</i> (Lindl.) DC. var. <i>speciosus</i> showy daisy	Loss of habitat; encroachment by exotic invasives; over shading; Willamette Valley conservation target plant				B	WV, WC
<i>Eriophorum angustifolium</i> Honck. many spiked cottongrass	Expected to occur in Lane Co., but no county record			4	C	WC
<i>Eriophorum chamissonis</i> C.A. Mey. russet cottongrass	Loss of habitat; golf course and urban development			2	A	CZ
<i>Erythronium klamathense</i> Applegate Klamath fawnlily	Known from one historic observation; need to relocate				C	WC
<i>Erythronium revolutum</i> Sm. coast fawnlily	Logging; trailside trampling			4	B	CZ, CR
<i>Eucephalus vialis</i> Bradshaw (= <i>Aster vialis</i> (Bradshaw) S.F. Blake) wayside aster	Urban growth; forest management	SOC	LT	1	A	WV
<i>Euonymus occidentalis</i> Nutt. ex Torr. var. <i>occidentalis</i> western wahoo	Forest management; one site in Lane Co.			4	B	CR, WC
<i>Festuca rubra</i> L. ssp. <i>mediana</i> (Pavlick) Pavlick dune red fescue	Rare in Oregon; one site in Lane Co.				C	CZ
<i>Frasera umpquaensis</i> M. Peck & Applegate Umpqua frasera	Agency management		C	1	A	WC
<i>Fritillaria glauca</i> Greene Siskiyou fritillary	Known from only one site in Lane Co.			4	C	WC
<i>Fritillaria atropurpurea</i> Nutt. purple fritillary	Known from only one site in Lane Co.				C	WC
<i>Gentiana newberryi</i> A. Gray var. <i>newberryi</i> Newberry's gentian	North end of range; disjunct populations			2	A	WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Gentianopsis simplex</i> (A. Gray) H.H. Iltis one flowered gentian	Sensitive habitat; few sites in Lane Co.				C	WC
<i>Geranium richardsonii</i> Fisch. & Trautv. Richardson's geranium	Forest management				B	WC
<i>Gilia capillaris</i> Kellogg smooth leaved gilia	Known from only one site in Lane Co, uncommon in Oregon				C	WC
<i>Gilia milefoliata</i> Fisch. & C.A. Mey. seaside gilia	Expected to occur in Lane Co., but no county record	SOC		1	C	CZ
<i>Gilia sinistra</i> M.E. Jones ssp. <i>sinistra</i> Alva Day's gilia	Two sites; Willamette Valley conservation target plant			4	C	WV, WC
<i>Glehnia littoralis</i> (A. Gray) F. Schmidt ex Miq. ssp. <i>leiocarpa</i> (Mathias) Hultén beach silvertop	European beach grass encroachment; dunes management				B	CZ
<i>Glyceria leptostachya</i> Buckley slenderspike mannagrass	Two observations, need documentation; Willamette Valley conservation target plant				C	WV, WC
<i>Gnaphalium californicum</i> DC. California cudweed	Two historic records; need to relocate			3	C	CZ
<i>Gymnocarpium dryopteris</i> (L.) Newman oak fern	Known from one historic record; taxonomic confusion				C	WC
<i>Heterotheca oregona</i> (Nutt.) Shinners Oregon goldenaster	Hydrologic changes; exotic species competition; Willamette Valley conservation target plant				B	WV
<i>Heuchera glabra</i> Willd. smooth alumroot	Rare in Lane Co.; need more sites				C	WC, HC
<i>Heuchera merriamii</i> Eastw. Merriam's alumroot	Additional sites found; occurrence frequency increasing			4	C	WC, HC
<i>Heuchera micrantha</i> Douglas ex Lindl. var. <i>diversifolia</i> (Rydb.) Rosend., Butters & Lakela Pacific alumroot	Known from one historic record				C	CR
<i>Hieracium bolanderi</i> A. Gray Bolander's hawkweed	Recently documented in Lane Co.; need more sites				C	HC
<i>Hieracium greenei</i> A. Gray Greene's hawkweed	One site in Lane Co.; documentation needed			3	C	WC
<i>Hieracium horridum</i> Fr. shaggy hawkweed	Known from one historic record			2	A	HC
<i>Hieracium parryi</i> Zahn Parry's hawkweed	Need more information				C	WV
<i>Hierochloë odorata</i> (L.) P. Beauv. holy grass, vanilla grass	Timber harvest management; need documentation			3	C	WC
<i>Honckenya peplodes</i> (L.) Ehrh. var. <i>major</i> (Hook.) Abrams sea purslane	ORV use, European beachgrass invasion				B	CZ
<i>Horkelia congesta</i> Douglas ex Hook. ssp. <i>congesta</i> shaggy horkelia	Habitat loss; wetland management	SOC	C	1	A	WV

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Horkelia fusca</i> Lindl. ssp. <i>filicoides</i> (Crum) D.D. Keck dusky horkelia	One site in Lane Co.; need documentation				C	WC
<i>Howellia aquatilis</i> A. Gray Howellia	Expected to occur in Lane Co., but no county record	LT	LT	1	C	WV
<i>Hydrocotyle verticillata</i> Thurnb. whorled marsh pennywort	Expected to occur in Lane Co., but no county record.			2	C	CZ
<i>Idahoia scapigera</i> (Hook.) A. Nelson & J.F. Macbr. flatpod	Recently relocated in Lane Co.; need more sites; Willamette Valley conservation target plant				C	WV
<i>Ipomopsis congesta</i> (Hook.) V.E. Grant ssp. <i>montana</i> (A. Nelson & P.B. Kenn.) V.E. Grant mountain ballhead gilia	Rare high elevation species; no threats				C	HC
<i>Isoetes howellii</i> Engelm. Howell's quillwort	One site in Lane Co.; need more information				C	CZ
<i>Isoetes occidentalis</i> L.F. Hend. western quillwort	One site in Lane Co.; need more information				C	CZ
<i>Juncus hemiendytus</i> F.J. Herm. var. <i>hemiendytus</i> dwarf rush	Agency land use decisions; Willamette Valley conservation target plant				B	WV
<i>Juncus kelloggii</i> Engelm. Kellogg's dwarf rush	Expected to occur in Lane Co., but no county record			3	C	WC
<i>Juncus supiniformis</i> Engelm. hairleaved rush	Loss of habitat; urban growth				B	CZ
<i>Kyhosia bolanderi</i> (A. Gray) B.G. Baldwin Bolander's tarweed	Additional sites located; status under review				C	WC
<i>Lagophylla ramosissima</i> Nutt. slender hairleaf	Willamette Valley conservation target plant				C	WV
<i>Lasthenia glaberrima</i> DC. smooth goldfields	Loss of habitat; wetland management				B	WV
<i>Lasthenia maritima</i> (A. Gray) M.C. Vasey maritime goldfields	European beachgrass invasion; park management				B	CZ
<i>Lathyrus holochlorus</i> (Piper) C.L. Hitchc. thin leaved peavine	Habitat loss; road maintenance	SOC		1	A	WV, WC
<i>Lathyrus lanszwertii</i> Kellogg var. <i>aridus</i> (Piper) Jeps. Nevada peavine	Need additional collections for taxonomic determination				C	WC
<i>Lathyrus lanszwertii</i> Kellogg var. <i>tracyi</i> (Bradshaw) Isley Tracy's peavine	Expected to occur in Lane Co., but no confirmed record; need to collect white-flowered peas for determination			4	C	WC
<i>Lathyrus palustris</i> L. marsh pea	Private property land use; sensitive habitat				B	CZ
<i>Lathyrus vestitus</i> Nutt. var. <i>ochropetalus</i> (Piper) Isely Pacific pea	Road maintenance				B	WV, WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Lepidium nitidum</i> Nutt. shining peppergrass	Willamette Valley conservation target plant				C	WV
<i>Leptarrhena pyrolifolia</i> (D. Don) R. Br. false saxifrage	Known from one historic record				C	HC
<i>Leucophysalis nana</i> (A. Gray) Averett dwarf chamaesaracha	Known from one historic collection; may be extirpated				C	WV
<i>Lewisia columbiana</i> (Howell ex A. Gray) B.L. Rob. ssp. <i>columbiana</i> Columbia lewisia	Genetic isolation; disjunct population			2	A	WC
<i>Lewisia nevadensis</i> (A. Gray) B.L. Rob. Nevada lewisia	Known from one historic site; may be extirpated				C	WC
<i>Lewisia pygmaea</i> (A. Gray) B.L. Rob. dwarf lewisia	Rare in Lane Co.; no threats				C	WC, HC
<i>Lilaea scilloides</i> (Poir.) Hauman flowering quillwort	Two sites in Lane Co.; need more sites			4	C	CZ
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i> leopard lily	Uncommon; north end of range; threatened by ORVs, herbivory, road maintenance				B	WC
<i>Lilium rubescens</i> S. Watson redwood lily	Known from one historic record				C	WC
<i>Limonium californicum</i> (Boiss.) A. Heller western marsh rosemary	Expected to occur in Lane Co., but no county record			2	C	CZ
<i>Linanthus nuttallii</i> (A. Gray) Milliken ssp. <i>nuttallii</i> Nuttall's linanthus	Two adjacent sites in Lane Co., no threats				C	WC
<i>Lithophragma tenellum</i> Nutt. slender woodland star	Willamette Valley conservation target plant				C	WV
<i>Lomatium bradshawii</i> (Rose) Mathias & Constance Bradshaw's lomatium; Bradshaw's desert parsley	Habitat loss; wetland management	LE	LE	1	A	WV
<i>Lomatium macrocarpum</i> (Nutt.) J.M. Coult. & Rose large fruited lomatium	Park management; trampling; invasive species encroachment				B	WV
<i>Lonicera utahensis</i> S. Watson Utah honeysuckle	Rare in Lane Co.; no threats				C	WC
<i>Lotus denticulatus</i> (Drew) Greene meadow lotus	Few sites in Lane Co.; look for more				C	WV, WC
<i>Lotus humistratus</i> Greene hill lotus	Known from one historic site; may be extirpated				C	WV
<i>Ludwigia peploides</i> (Kunth) P.H. Raven ssp. <i>peploides</i> floating primrose willow, matted water primrose	Farm herbicides; hydrologic manipulation; invasive aquatic weeds Need voucher documentation				C	WV
<i>Lupinus affinis</i> J. Agardh fleshy lupine	Loss of habitat; Willamette Valley conservation target plant				B	WV

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Lupinus bicolor</i> Lindl. bicolored lupine	Expected to occur in Lane Co., but no county record; need documentation				C	WV
<i>Lupinus lepidus</i> Douglas ex Lindl. var. <i>lepidus</i> Pacific lupine	Rare in the Willamette Valley; agency management				B	CR, WV
<i>Lupinus lepidus</i> Douglas ex Lindl. var. <i>sellulus</i> (Kellogg) Barneby dwarf lupine	An east of the Cascades species; one historic site in Lane Co; need more information				C	WC
<i>Lupinus sericeus</i> Pursh silky lupine	Two Lane Co. sites; need documentation				C	WC, HC
<i>Lupinus sulphureus</i> Douglas ex Hook. ssp. <i>kincaidii</i> (C.P. Sm.) Lyle Phillips Kincaid's lupine	Habitat loss; larval food plant for rare butterfly	LT	LT	1	A	WV
<i>Lycopodiella inundata</i> (L.) Holub bog clubmoss	Sensitive habitat; equestrian and ORV use; reservoir management			2	A	CZ, CR, WC
<i>Lycopodium annotinum</i> L. stiff clubmoss	Known from one historic record			4	C	HC
<i>Marsilea vestita</i> Hook. & Grev. ssp. <i>vestita</i> hair waterclover	Agency management; hydrologic routine; Willamette Valley conservation target plant				B	WV
<i>Micropus californicus</i> Fisch. & C.A. Mey. var. <i>californicus</i> slender cottonweed	Known from two historic collections				C	WV
<i>Microseris bigelovii</i> (A. Gray) Sch. Bip. coast microseris	Known from one historic record			2	A	CZ
<i>Mimulus cardinalis</i> Douglas ex Benth. scarlet monkeyflower	Restricted to one river drainage in Lane Co; forest management practices upstream				B	WV, WC
<i>Mimulus pulsiferae</i> A. Gray candelabrum monkeyflower	Forest management				C	WC
<i>Mimulus tricolor</i> Hartw. tricolored monkeyflower	Expected to occur in Lane Co., but no Co. record			2	C	WV
<i>Minuartia cismontana</i> Meinke & P.F. Zika cismontane sandwort	Rare; two sites in Lane Co., one historic, one recent				C	WV, WC
<i>Minuartia obtusiloba</i> (Rydb.) House alpine sandwort	One high elevation site in Lane Co.; no threats				C	HC
<i>Monardella odoratissima</i> Benth. mountain monardella	Infrequent in Lane Co.; need more sites				C	WC
<i>Moneses uniflora</i> (L.) A. Gray single delight; woodnymph	Coast forest management; few recent records				C	CR
<i>Montia chamissoi</i> (Ledeb. ex Spreng.) Greene water montia	Two sites in Lane Co.; find more				C	WC
<i>Montia dichotoma</i> (Nutt.) Howell dwarf montia	Lane use issues; need more sites				B	WV
<i>Montia howellii</i> S. Watson Howell's montia	Development; road and parking lot maintenance		C	4	A	WV, WC
<i>Najas guadalupensis</i> (Spreng.) Magnus common waternymph	Expected to occur in Lane Co., but no current record			3	C	WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Navarretia leucocephala</i> Benth. ssp. <i>leucocephala</i> white flowered navarretia	Known from one historic record			4	C	WV
<i>Navarretia willamettensis</i> S.C. Spencer Willamette navarretia	Recently described; one historic record			1	A	WV
<i>Nuttallanthus texanus</i> (Scheele) D.A. Sutton (= <i>Linaria canadensis</i> (L.) Dum. Cours. var. <i>texana</i> (Scheele) Pennell) large flowered toadflax; Texas linaria	Sensitive habitat; wetland management				B	WV, WC
<i>Olsynium douglasii</i> (A. Dietr.) E.P. Bicknell grass widows	Park management; recreational disturbance				B	WV
<i>Ophioglossum pusillum</i> Raf. northern adder's tongue	Sensitive habitat			2	A	CZ, WC
<i>Orobanche californica</i> Cham. & Schtdl. ssp. <i>californica</i> California broomrape	West Eugene wetland management			3	B	WV
<i>Orobanche pinorum</i> Geyer pine broomrape	Logging; park management				B	WV, WC
<i>Packera bolanderi</i> (A. Gray) W.A. Weber & Á. Löve var. <i>bolanderi</i> (= <i>Senecio bolanderi</i> A. Gray var. <i>bolanderi</i>) Bolander's groundsel	Two sites in Lane Co.; need more information and more sites				C	WC
<i>Packera macounii</i> (Greene) W.A. Weber & Á. Löve (= <i>Senecio macounii</i> Greene) Puget groundsel	Historic record; hasn't been seen in Lane Co. for 75 years; recently reported from Linn Co. ½ mi. north of Lane				C	WV
<i>Packera pseudaurea</i> (Rydb.) W.A. Weber & Á. Löve var. <i>pseudaurea</i> (= <i>Senecio pseudaureus</i> Rydb. var. <i>pseudaureus</i>) streambank butterweed, falsegold groundsel	Historic record; need to relocate				C	WC
<i>Parnassia fimbriata</i> K.D. Koenig fringed grass-of-Parnassus	Rare in Lane Co.; need more sites				C	WC
<i>Pedicularis contorta</i> Benth. coiled pedicularis	Few sites; find more				C	WC
<i>Pellaea andromedifolia</i> (Kaulf.) Fée coffee fern	Known from one historic site; sought by fern collectors			2	A	WV
<i>Pellaea brachyptera</i> (T. Moore) Baker Sierra cliff brake	Motorcycle activity; two sites in Lane Co.				B	WC
<i>Penstemon procerus</i> Douglas ex Graham var. <i>procerus</i> pincushion penstemon	Known only from historic records in Lane Co.; need to relocate				C	HC
<i>Penstemon rydbergii</i> A. Nelson var. <i>oreocharis</i> (Greene) N.H. Holmgren Rydberg's penstemon	One historic site in Lane Co.; need to relocate				C	WC
<i>Persicaria punctata</i> (Elliott) Small (= <i>Polygonum punctatum</i> Elliott) dotted knotweed	Water weed competition			3	C	CZ, WV
<i>Phacelia verna</i> Howell spring phacelia	Few sites; north end of range			4	C	WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Phoenicaulis cheiranthoides</i> Nutt. daggerpod	No recent record; relocate and document				C	WC
<i>Piperia candida</i> Rand. Morgan & Ackerman white flowered piperia	Rare in Lane Co.; need more sites			3	C	WC
<i>Piperia elegans</i> (Lindl.) Rydb. ssp. <i>elegans</i> elegant rein orchid	Two forms: coastal and inland; need more site reports				C	CZ, WV
<i>Piperia elongata</i> Rydb. green flowered piperia	Recently located in Lane Co.; need more sites			3	C	WC
<i>Piperia transversa</i> Suksd. Suksdorf's piperia	One historic, three recent sites; need more sites				C	WV, WC
<i>Pityopus californicus</i> (Eastw.) H.F. Copel. pinefoot	Old growth/mature forest dependent; logging				B	CZ, WC
<i>Plagiobothrys nothofulvus</i> A. Gray rusty popcorn flower	Willamette Valley conservation target plant				C	WV
<i>Platanthera sparsiflora</i> (S. Watson) Schltr. sparse flowered bog orchid	Additional sites have been found recently in Lane Co.				C	WC
<i>Pleuricospora fimbriolata</i> A. Gray fringed pinesap	Forest management				C	WC
<i>Poa chambersii</i> Soreng Chambers' bluegrass	Few sites; old collections recently annotated to <i>Poa chambersii</i>			3	C	WC
<i>Poa howellii</i> Vasey & Scribn. Howell's bluegrass	Willamette Valley conservation target plant; known from two historic records				C	WV, WC
<i>Poa stenantha</i> Tin. var. <i>stenantha</i> narrow fower bluegrass	Rare in Lane Co.; one site			3	C	WC
<i>Poa suksdorfii</i> (Beal) Vasey ex Piper Suksdorf's bluegrass	Known only from historic records			3	C	HC
<i>Poa unilateralis</i> Vasey ocean bluff bluegrass	Expected to occur in Lane Co., but no county record.	SOC		2	C	CZ
<i>Polemonium occidentale</i> Greene western polemonium	Need documentation				C	HC
<i>Polemonium pulcherrimum</i> Hook. ssp. <i>pulcherrimum</i> skunk leaved polemonium, showy polemonium	High elevation species; no threats				C	HC
<i>Polygonum californicum</i> Meisn. California knotweed	Look for more sites.				C	WC
<i>Polygonum majus</i> (Meisn.) Piper wiry knotweed	Two sites in Lane Co.; need to find more				C	WC
<i>Polygonum polygaloides</i> Wall. ex Meisn. ssp. <i>confertiflorum</i> (Nutt. ex Piper) J.C. Hickman (= <i>Polygonum confertiflorum</i> Nutt.) close flowered knotweed	Willamette Valley conservation target plant				C	WV
<i>Polygonum sawatchense</i> Small (= <i>Polygonum douglasii</i> Greene ssp. <i>johnstonii</i> (Munz) J.C. Hickman) Sawatch knotweed	Two historic Lane Co. records				C	WC

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Polypodium calirhiza</i> S.A. Whitmore & A.R. Sm. nested polypody; hotroot polypody	Habitat disturbance; occurs in road cuts			3	C	CZ
<i>Polystichum californicum</i> (D.C. Eaton) Diels California sword fern	Rare; forest management			2	A	WC
<i>Polystichum kruckebergii</i> W.H. Wagner Kruckeberg's sword fern	Rare; no known threats			4	C	HC
<i>Polystichum scopulinum</i> (D.C. Eaton) Maxon rock sword fern	Need documentation				C	HC
<i>Potamogeton pusillus</i> L. ssp. <i>tenuissimus</i> (Mert. & Koch) R.R. Haynes & Hellq. slender pondweed	Two sites in Lane Co., need more sites			3	C	CZ, WC
<i>Potamogeton robbinsii</i> Oakes Robbins' pondweed	Recently reported from Lane Co.; need more information				C	CZ
<i>Potentilla villosa</i> Pall. var. <i>parviflora</i> C.L. Hitchc. villous cinquefoil	Only one extant site in Oregon			2	A	HC
<i>Prunus subcordata</i> Benth. Klamath plum; western plum	Willamette Valley conservation target plant; need more information				C	WV, WC
<i>Psilocarpus tenellus</i> Nutt. var. <i>tenellus</i> slender woolyheads	Willamette Valley conservation target plant				C	WV
<i>Puccinellia pumila</i> (Vasey) Hitchc. dwarf alkaligrass	Sensitive habitat; need documentation			3	C	CZ
<i>Pyrola minor</i> L. lesser wintergreen	Known from one historic record				C	WC
<i>Pyrrocoma racemosa</i> (Nutt.) Torr. & A. Gray var. <i>racemosa</i> racemed goldenweed	Habitat loss; W Eugene wetland management			2	A	WV
<i>Quercus garryana</i> Douglas ex Hook. var. <i>breweri</i> (Engelm.) Jeps. Brewer's oak	Rare; need more sites				C	WC
<i>Ranunculus alismifolius</i> Geyer var. <i>alismellus</i> A. Gray dwarf plantain leaved buttercup	Known only from historic records; need to relocate				C	WC
<i>Ranunculus eschscholtzii</i> Schltldl. var. <i>suksdorfii</i> (A. Gray) L.D. Benson Suksdorf's buttercup	Two adjacent sites in Lane Co.; need documentation and more sites				C	HC
<i>Ranunculus lobbii</i> (Hiern) A. Gray Lobb's buttercup	Rare; agency waterfowl managed site				B	WV
<i>Rhynchospora alba</i> (L.) Vahl white beakrush	Known only from historic records			2	A	CZ
<i>Ribes divaricatum</i> Douglas var. <i>pubiflorum</i> Koehne small flowered straggly gooseberry	Known from one historic record			2	A	WC
<i>Ribes laxiflorum</i> Pursh coast trailing currant	Known from one historic and one recent site; need more sites			3	C	CR

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Ribes menziesii</i> Pursh coast prickly fruited gooseberry	Expected to occur in Lane Co., but no current record				C	CZ, CR
<i>Romanzoffia thompsonii</i> V. Marttala Thompson's mistmaidens	Narrow habitat; many sites, but populations small			1	A	WV, WC
<i>Rosa nutkana</i> C. Presl var. <i>hispida</i> Fernald bristly Nootka rose	Known from only one historic site in Lane Co.; look for it				C	WV
<i>Rosa spithamea</i> S. Watson var. <i>spithamea</i> ground rose	Rare in Lane Co.; north end of range				C	WC
<i>Rotala ramosior</i> (L.) Koehne tooth cup	One observed occurrence in Lane Co., need documentation; Willamette Valley conservation target plant			2	A	WV
<i>Rubus pedatus</i> Sm. strawberry dwarf bramble, five leaved dwarf bramble	Few sites in Lane Co.; need more sites				C	WC
<i>Ruppia maritima</i> L. ditch grass	Known only from historic records; last reported in 1977				C	CZ
<i>Sagittaria latifolia</i> Willd. wapato; arrowhead	Reservoir and roadside management; boat recreation				B	WV, WC
<i>Sagittaria cuneata</i> E. Sheld. arumleaf arrowhead	Few sites in Lane Co.; need more sites				C	WC, HC
<i>Salix lemmonii</i> Bebb. Lemmon's willow	Willamette Valley conservation target plant				C	WV
<i>Salix ligulifolia</i> (C.R. Ball) C.R. Ball ex C.K. Schneid. strapleaf willow	One site in Lane Co.; need more sites				C	HC
<i>Salix prolixa</i> Andersson Mackenzie's willow	Willamette Valley conservation target plant				C	WV
<i>Sanicula arctopoides</i> Hook. & Arn. footsteps-of-spring	Known from one historic site; ORV and recreation threats; need to relocate; may be extirpated in Lane Co.				C	CZ
<i>Sanguisorba officinalis</i> L. great burnet	Expected to occur in Lane Co., but no Co. record				C	CZ, WC
<i>Saxifraga cespitosa</i> L. tufted alpine saxifrage	Rare in Lane Co., look for more sites				C	WC
<i>Saxifraga ferruginea</i> Graham var. <i>ferruginea</i> rusty saxifrage	Rare; known from only one site in Lane Co.				C	CR
<i>Saxifraga nelsoniana</i> D. Don ssp. <i>cascadensis</i> (Calder & Savile) Hultén dotted saxifrage	Recently found in Lane Co.; need documentation				C	WC, HC
<i>Scheuchzeria palustris</i> L. ssp. <i>americana</i> (Fernald) Hultén American scheuchzeria	Rare; sensitive habitat			2	A	WC
<i>Schoenoplectus subterminalis</i> (Torr.) Soják (= <i>Scirpus subterminalis</i> Torr.) water bulrush	Water weed competition			2	A	CZ

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Scirpus pallidus</i> (Britton) Fernald pale bulrush	One site in Lane Co.; roadside maintenance			3	C	WV
<i>Scirpus pendulus</i> Muhl. drooping bulrush	Two sites in Lane Co.; roadside maintenance			2	A	WV
<i>Scrophularia lanceolata</i> Pursh lanceleaf figwort	Urban development; exotic invasives competition				B	WV
<i>Scutellaria antirrhinoides</i> Benth. snapdragon skullcap	Willamette Valley conservation target plant; increased number of sites; evaluate status at next Review				C	WV, WC
<i>Scutellaria lateriflora</i> L. mad dog skullcap	Urban pressure; natural area protection; water management				B	WV
<i>Senecio integerrimus</i> Nutt. var. <i>ochroleucus</i> (A. Gray) Cronquist white western groundsel	Historic collections from two adjacent sites in Lane Co.				C	WC
<i>Sericocarpus rigidus</i> Lindl. (= <i>Aster curtus</i> Cronquist) rigid white topped aster	Loss of habitat; wetland management	SOC	LT	1	A	WV
<i>Sidalcea campestris</i> Greene meadow checkermallow	Road maintenance; number of known sites in Lane Co. increasing		C	4	A	WV
<i>Sidalcea hendersonii</i> S. Watson Henderson's checkermallow	Salt marsh management; rare globally	SOC		1	A	CZ
<i>Sidalcea oregana</i> (Nutt. ex Torr. & A. Gray) A. Gray ssp. <i>oregana</i> Oregon checkermallow	An historic collection recently annotated; need more information about ssp. differences				C	WC
<i>Silene antirrhina</i> L. sleepy catchfly	Few sites, need more				C	WV, WC
<i>Silene bernardina</i> S. Watson var. <i>rigidula</i> (B.L. Rob.) A. Tiehm mountain catchfly	Two sites in Lane Co., need more sites				C	WC
<i>Silene hookeri</i> Nutt. ssp. <i>hookeri</i> Indian pink	Showy; threatened by trampling, collection, development, ORVs, succession of woody species and invasives				B	WV, WC
<i>Silene suksdorfii</i> B.L. Rob. Cascade alpine catchfly	Rare high elevation species; no known threats			4	C	HC
<i>Sisyrinchium hitchcockii</i> D.M. Hend. Hitchcock's blue eyed grass	Wetland and park management	SOC		1	A	WV
<i>Sium suave</i> Walter hemlock water parsnip	One historic record				C	CZ
<i>Smelowskia ovalis</i> M.E. Jones var. <i>ovalis</i> alpine smelowskia	Rare high elevation species; no known threats			4	C	HC
<i>Sparganium natans</i> L. small burreed	Known from one historic site; recent sightings need taxonomic verification				C	WC
<i>Sphenosciadium capitellatum</i> A. Gray swamp woollyheads	Rare in Lane Co.; few sites				C	WC
<i>Stellaria humifusa</i> Rottb. saltmarsh chickweed	Limited salt marsh habitat; no recent sightings			2	A	CZ

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Stephanomeria lactucina</i> A. Gray large flowered wirelettuce	High elevation species; no threats				C	WC
<i>Streptanthus tortuosus</i> Kellogg jewelflower	Need documentation				C	WC
<i>Thlaspi montanum</i> L. var. <i>montanum</i> alpine pennycress	Known from two adjacent sites in Lane Co.				C	WC
<i>Trichostema oblongum</i> Benth. downy blue curls	Forest management				C	WC
<i>Trientalis arctica</i> Fisch. northern starflower	Sensitive habitat; park management				B	CZ, WC
<i>Trifolium ciliolatum</i> Benth. tree clover	Willamette Valley conservation target plant				C	WV, WC
<i>Trifolium cyathiferum</i> Lindl. cup clover	Two sites: one historic and one recent; need more sites				C	WC
<i>Trifolium eriocephalum</i> Nutt. ssp. <i>eriocephalum</i> woolly head clover	Willamette Valley conservation target plant				C	WV, WC
<i>Triglochin striata</i> Ruiz & Pav. three ribbed arrowgrass	Limited salt marsh habitat			3	B	CZ
<i>Triteleia grandiflora</i> Lindl. (= <i>Triteleia grandiflora</i> ssp. <i>howellii</i> (S. Watson) Hoover Howell's brodiaea	Land use; urban growth				B	WV
<i>Uropappus lindleyi</i> (DC.) Nutt. (= <i>Microseris lindleyi</i> (DC.) A. Gray) linearleaf microseris; silver puffs	Known only from historic records				C	WV
<i>Utricularia gibba</i> L. humped bladderwort	Reservoir management; roadside maintenance			2	A	CZ, CR
<i>Utricularia intermedia</i> Hayne mountain bladderwort	Sensitive habitat				C	WC
<i>Utricularia minor</i> L. lesser bladderwort	Rare; sensitive habitat			2	A	CZ, WC
<i>Utricularia ochroleuca</i> R.L. Hartm. buff bladderwort	Lane County's rarest <i>Utricularia</i> ; sensitive habitat			2	A	WC
<i>Vaccinium oxycoccos</i> L. wild cranberry	Loss of habitat; urban development; pollution			4	C	CZ
<i>Verbena hastata</i> L. blue verbena	Roadside maintenance				B	WV
<i>Viburnum edule</i> (Michx.) Raf. highbush cranberry	Rare in Lane Co.				C	WC
<i>Viola hallii</i> A. Gray Hall's violet	Rare in Lane Co.				B	WV
<i>Viola praemorsa</i> Douglas ex Lindl. ssp. <i>praemorsa</i> upland yellow violet	Larval food plant for butterfly thought to be extinct				B	CR, WV, WC
<i>Wolffia borealis</i> (Englm. ex Hegelm.) Landolt dotted watermeal	Wastewater and wetland management			2	A	WV

Scientific Name Common Name	Threat/Comment	Federal Status	State Status	ORNHIC List	EmChap List	Ecoregion
<i>Wolffia columbiana</i> H. Karst. Columbia watermeal	Wastewater and wetland management			2	A	WV
<i>Woodwardia fimbriata</i> Sm. giant chain fern	Rare in Lane Co.; one documented location; others sites told by personal communication but not documented				C	WC
<i>Woodsia oregana</i> D.C. Eaton ssp. <i>oregana</i> Oregon cliff fern	Rare				C	WC, HC
<i>Woodsia scopulina</i> D.C. Eaton Rocky Mt. cliff fern	Rare				C	WC
<i>Yabea microcarpa</i> (Hook. & Arn.) Koso-Pol. western hedge parsley	Willamette Valley conservation target plant				C	WV, WC